

# Limited Tender Enquiry

For

Supply, Installation and Commissioning of CCTV Camera  
Surveillance System

At

Various Locations in Faculty of Science, MCC Campus,  
University of Allahabad, Prayagraj

NIT No.: UoA/PSD/CCTV/01/2023

NIT Issue Date: 04<sup>th</sup> August 2023

Last Date of Submission: 21<sup>st</sup> August, 2023 upto 05.00 PM



University of Allahabad, Prayagraj

[www.allduniv.ac.in](http://www.allduniv.ac.in),

[www.eprocure.gov.in](http://www.eprocure.gov.in)



## UNIVERSITY OF ALLAHABAD

### Limited Tender Enquiry (LTE)

**Subject:- LTE for supply, installation and commissioning of CCTV Camera Surveillance System at Various locations in Faculty of Science, MCC Campus, University of Allahabad (UoA).**

Dear Sir/Ma'am,

The University intends to purchase CCTV Camera Surveillance System with commissioning and installation at various locations in **Faculty of Science, University of Allahabad**. Kindly send your QUOTATIONS giving lowest rates per unit along with terms and conditions if any in Sealed Covered envelope addressed to **Purchase Officer, Purchase & Stores Department, University of Allahabad, Prayagraj, (UP), Pin-211002**. This has to reach to the office on or before 21<sup>st</sup> August, 2023 till 5.00 PM. The word **"Quotation for supply, installation and commissioning of CCTV Camera Surveillance System in Faculty of Science, MCC Campus, UoA"** with our reference no. of LTE and date of LTE must be clearly mentioned on the sealed envelope.


**Location for installation of CCTV Camera Surveillance System at Faculty of Science ,MCC Campus, University of Allahabad (UoA)**

| S.N. | Location   | Number of CCTV Cameras Surveillance System |
|------|--|--|
| 1)   | Gate No. 4   | 1 (One)                                    |
| 2)   | Gate No. 6   | 1 (One)                                    |
| 3)   | In front of Viziyanagram Hall                          | 1 (One)                                    |
| 4)   | At the junction road of Math & Zoology Department      | 1 (One)                                    |
| 5)   | At the junction road of Chemistry & Physics Department | 1 (One)                                    |

Local control of CTV System should be one the room located in Vizianagram hall building. The entire CCTV setup should be integrated with University CCTV network. Integration of CCTV setup with University CCTV network will be responsibility of vendor.

#### **GENERAL TERMS AND CONDITIONS FOR LIMITED TENDER ENQUIRY (LTE)**

1. Mode of submission: Bid documents to be furnished by the bidder in 1 sealed envelope containing following 2 packets:
  - a. Technical bid (All documents other than price bid in sealed envelope).
  - b. Financial bid (Containing price bid in specified format in a sealed envelope)
2. While submitting the quotation following should invariably be mentioned:
  - a. Details of complete specification with model and manufacturer name and address should be given while quoting. Literature / Pamphlets should also be enclosed wherever applicable.
  - b. Lowest rate F.O.R. destination. Period of validity of quoted prices – (Minimum Six Months).
3. If you are manufacturer of the items or if you have proprietary distribution/sales authorization, please mention it in the quotation.
4. For items of equipment nature, the Instruction Manual, Diagram of the circuit drawing, etc must be supplied along with supply without which the delivery shall be incomplete.
5. Vendor must enclose an authorization certificate of the company with tender document.
6. Please fill in and return the Suppliers Profile Form & Mandate Form annexed at Annexure 'A' and Annexure 'B'.
7. Non Transferable tender:





- Neither the contract nor any rights granted under the contract may be sold, leased, sublet, assigned or otherwise transferred, in whole or in part, by the vendor and any such attempts shall be void and of no effect without the advance written consent of the University of Allahabad.
8. The rates quoted by the bidders must be inclusive of supply, installation, commissioning, transportation, insurance, training/support and warranty, taxes and duties.
  9. Rates must clearly indicate all taxes and the discounts offered, if any.
  10. **An Earnest Money Deposit of Rs. 45,000/- (Rupees Forty Five Thousand only) in the form of Demand Draft /Bankers Cheque or Bank Gurantee drawn in favor of Finance Officer, University of Allahabad payable at Prayagraj** shall be submitted along with the Technical bid. Agency/Firm/Company registered with NSIC/MSME will be given benefit as per rules.
 

Note 1: EMD will not accrue any interest.

Note 2: The EMD shall be returned to the unsuccessful bidders after the Notification of Award of Tender.

Note 3: The bids not accompanied with earnest money shall be summarily rejected.
  11. The tenderer should also mention the validity period of quotation.
  12. No advance payment or payment against performa invoice will be made to the successful bidder.
  13. All the pages of the bid document being submitted must be signed and sequentially numbered by the bidder. Unsolicited / conditional / unsigned tenders shall not be considered.
  14. IT, TT and GST would be recovered as per rules.
  15. **Special Terms & Conditions are also attached.**
  16. All the above instructions along with STC must be complied, failing which your offer may be liable for rejection.
  17. All suits shall be in the courts of **Allahabad Jurisdiction** only.
  18. Terms & conditions of purchase as per University rules shall be applicable.
  19. Tender should be addressed to the "**Purchase Officer, Purchase & Stores Department, University of Allahabad, Prayagraj- 211002 (U.P.)**". Quotations will be received only through **Speed Post/Register Post** in Purchase & Stores Department, UoA. Quotations received other than Purchase Office and after the due date and time shall not be considered.
  20. If required number of quotations will not be received by the last date of the LTE, the date may be extended as per rule.

#### **SPECIAL TERMS & CONDITIONS (STC)**

1. Bidder must quote as per technical specification.
2. Supply and installation shall be completed in 30 days of receipt of purchase order at the University Campus. The offered delivery period shall have to be strictly adhered to incase an order is placed.
3. **Schedule for completion of task** after issue of Purchase order will be as follows which has to be strictly adhered by the successful bidder:
 

|   |   |         |
|---|---|---------|
| a. Supply and installation of CCTV Camera Surveillance System | – | 30 days |
| b. Testing and acceptance of the system                       | – | 15 days |
4. **Inspection and Acceptance:**
  - a. System will be considered as installed and accepted only after successful uninterrupted operation of the entire system at the site for period of minimum 15 days.
  - b. Payment will be made only after Installation, inspection and testing of surveillance system.
5. Operational services will be provided free of cost up to warranty period. Charges after warranty period may be quoted.
6. Tender conditions, if any, or otherwise sent with the quotation shall not be binding on us.
7. The acceptance of the quotation will rest with the competent authority of Allahabad University, who does not bind himself to accept the lowest quotation and reserves the right



- to himself to reject, or partially accept any or all the quotation without assigning any reasons.
8. **Successful bidder shall furnish an unconditional PBG / SD valid till 60 days after the warranty period from any nationalized / scheduled bank for 10% of the total amount.**
  9. **Liquidated damages** rate for delay in delivery is 0.5% per week & max. 10% of the total amount.
  10. **Scope of supply** (bid price includes all cost components):
    - a. Supply, installation, testing and commissioning of goods with 2 year standard warranty at University of Allahabad, Prayagraj.
    - b. Warranty for a period of two years for the entire system which includes rectification/replacement of defective components and preventive maintenance like clearing of sensors, cameras, checking of software functioning, critical components, etc are covered under the scope of vendor.
    - c. Any application software as required for completion of the project is covered under the scope of vendor.
    - d. For Software which is used in the system for a period of not less than 1 year must have genuine license key and software backup system, to restore the data for a period not less than year, if the system crashes due to any reason.
  11. Equipment supplied shall be warranted against any manufacturing defects, poor workman ship, defective material and quality design. Their performance shall also be warranted.. Warranty period shall be 2 years from the date of commission. If any equipment is found defective regarding design construction or performance, the same shall be replaced free of cost. The to and fro freight charges shall be borne by the vendor during warranty period.
  12. The vendor should also supply or demonstration/training if required regarding the operational procedure of the system.
  13. The vendor should clearly indicate the availability of services and maintenance facilities at Prayagraj for the items quoted to ensure onsite service support within 24 hours.
  14. Tenderer must have experience of CCTV sale with installation in last 3 years in any PSU/ Central/ State / Central or State Funded organization.(Proof of experience must be enclosed with the quotation).
  15. The tenderer should clearly indicate any deviation in schedule completion of task.

*Chiric*  
04/08/2023

कृषि अधिकारी  
प्रायगंज  
इलाहाबाद विश्वविद्यालय  
University of Allahabad

*Pingleshari*  
04/08/2023

Purchase Officer

E-mail. [purchasecell.uoa@gmail.com](mailto:purchasecell.uoa@gmail.com)

कृषि अधिकारी  
प्रायगंज  
इलाहाबाद विश्वविद्यालय  
University of Allahabad



### Technical Bid

Technical specifications mentioned below are minimum. Any better specification will also be accepted.

| Sr. No. | Item Name                      | Specification   | Compliance (Yes/No) | Deviation (if any) |
|---------|--------------------------------|---|---------------------|--------------------|
| 01      | Optical Fiber Cable 4 Core MTR | Optical Fibre Cable 1500 Mtr.   |                     |                    |
| 02      | 16-ch 1U 4K NVR                | <ul style="list-style-type: none"> <li>Up to 16-ch IP camera inputs</li> <li>H.265+/H.265/H.264+/H.264 video formats</li> <li>Up to 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity</li> <li>1 HDMI and 1 VGA interfaces, both interfaces support independent video output</li> <li>2 SATA interfaces for HDD connection (up to 10 TB capacity per HDD)</li> <li>Up to 160 Mbps incoming bandwidth</li> <li><b>Video And Audio</b></li> <li>IP Video Input16-ch</li> <li>Incoming Bandwidth160 Mbps</li> <li>Outgoing Bandwidth160 Mbps</li> <li>HDMI Output4K (3840 × 2160)/30 Hz, 2K (2560 × 1440)/60 Hz, 1920 × 1080/60 Hz, 1600 × 1200/60 Hz, 1280 × 1024/60 Hz, 1280 × 720/60 Hz</li> <li>VGA Output1920 × 1080/60 Hz, 1280 × 1024/60 Hz, 1280 × 720/60 Hz</li> <li>Video Output ModeHDMI/VGA independent output</li> <li>Audio Input1-ch, RCA (2.0 Vp-p, 1 KΩ)</li> <li>Audio Output1-ch, RCA (Linear, 1 KΩ)Two-Way Audio1-ch, RCA (2.0 Vp-p, 1kΩ, using the audio input)</li> <li><b>Decoding</b></li> <li>Decoding FormatH.265/H.265+/H.264/H.264+</li> <li>Recording Resolution12 MP/8 MP/6 MP/5 MP/4 MP/3 MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF</li> <li>Synchronous Playback16-ch</li> <li>Decoding Capability1-ch@12 MP (30 fps)/2-ch@8 MP (30 fps)/4-ch@4 MP (30 fps)/8-ch@1080p (30 fps)</li> <li>Stream TypeVideo, Video &amp; Audio</li> <li>Audio CompressionG.711ulaw/G.711alaw/G.722/G.726</li> <li><b>Network</b></li> <li>Remote Connection128-ch</li> </ul> |                     |                    |






|                            |                                |  |                          |      |                     |            |                         |      |       |         |                       |            |                       |                      |                    |        |                   |                     |                |      |                            |          |  |  |
|----------------------------|--------------------------------|--|--------------------------|------|---------------------|------------|-------------------------|------|-------|---------|-----------------------|------------|-----------------------|----------------------|--------------------|--------|-------------------|---------------------|----------------|------|----------------------------|----------|--|--|
|                            |                                | <ul style="list-style-type: none"><li>• Network ProtocolTCP/IP, DHCP, IPv4, IPv6, DNS, DDNS, NTP, RTSP, SADP, SMTP, SNMP, NFS, iSCSI, ISUP, UPnP™, HTTP, HTTPS</li><li>• Network Interface1, RJ-45 10/100/1000 Mbps self-adaptive Ethernet interface</li><li>• <b>Auxiliary Interface</b></li><li>• SATA2 SATA interfaces</li><li>• CapacityUp to 10 TB capacity for each HDD</li><li>• USB InterfaceFront panel: 1 × USB 2.0; Rear panel: 1 × USB 2.0</li><li>• Alarm In/Out4/1</li><li>• <b>General</b></li><li>• Power Supply12 VDC, 3.33A</li><li>• Consumption≤ 15 W (without HDD)</li><li>• Working Temperature-10 °C to 55 °C (14 °F to 131 °F)</li><li>• Working Humidity10 to 90 %</li><li>• Dimension (W × D × H)385 × 315× 52 mm (15.2" × 12.4" × 2.0")</li><li>• Weight≤ 1 kg (without HDD, 2.2 lb.)</li><li>• <b>Certification</b></li><li>• FCCPart 15 Subpart B, ANSI C63.4-2014</li><li>• CEEN 55032: 2015, EN 61000-3-2, EN 61000-3-3, EN 50130-4, EN 55035: 2017</li></ul> |                          |      |                     |            |                         |      |       |         |                       |            |                       |                      |                    |        |                   |                     |                |      |                            |          |  |  |
| 03                         | HDD 8TB Surveillance Hard Disk | <table><tr><td>Digital Storage Capacity</td><td>8 TB</td></tr><tr><td>Hard Disk Interface</td><td>Serial ATA</td></tr><tr><td>Connectivity Technology</td><td>SATA</td></tr><tr><td>Brand</td><td>Seagate</td></tr><tr><td>Hard Disk Form Factor</td><td>3.5 Inches</td></tr><tr><td>Hard Disk Description</td><td>Mechanical Hard Disk</td></tr><tr><td>Compatible Devices</td><td>Camera</td></tr><tr><td>Installation Type</td><td>Internal Hard Drive</td></tr><tr><td>Hard Disk Size</td><td>8 TB</td></tr><tr><td>Hard Disk Rotational Speed</td><td>7200 RPM</td></tr></table>  | Digital Storage Capacity | 8 TB | Hard Disk Interface | Serial ATA | Connectivity Technology | SATA | Brand | Seagate | Hard Disk Form Factor | 3.5 Inches | Hard Disk Description | Mechanical Hard Disk | Compatible Devices | Camera | Installation Type | Internal Hard Drive | Hard Disk Size | 8 TB | Hard Disk Rotational Speed | 7200 RPM |  |  |
| Digital Storage Capacity   | 8 TB                           |  |                          |      |                     |            |                         |      |       |         |                       |            |                       |                      |                    |        |                   |                     |                |      |                            |          |  |  |
| Hard Disk Interface        | Serial ATA                     |  |                          |      |                     |            |                         |      |       |         |                       |            |                       |                      |                    |        |                   |                     |                |      |                            |          |  |  |
| Connectivity Technology    | SATA                           |  |                          |      |                     |            |                         |      |       |         |                       |            |                       |                      |                    |        |                   |                     |                |      |                            |          |  |  |
| Brand                      | Seagate                        |  |                          |      |                     |            |                         |      |       |         |                       |            |                       |                      |                    |        |                   |                     |                |      |                            |          |  |  |
| Hard Disk Form Factor      | 3.5 Inches                     |  |                          |      |                     |            |                         |      |       |         |                       |            |                       |                      |                    |        |                   |                     |                |      |                            |          |  |  |
| Hard Disk Description      | Mechanical Hard Disk           |  |                          |      |                     |            |                         |      |       |         |                       |            |                       |                      |                    |        |                   |                     |                |      |                            |          |  |  |
| Compatible Devices         | Camera                         |  |                          |      |                     |            |                         |      |       |         |                       |            |                       |                      |                    |        |                   |                     |                |      |                            |          |  |  |
| Installation Type          | Internal Hard Drive            |  |                          |      |                     |            |                         |      |       |         |                       |            |                       |                      |                    |        |                   |                     |                |      |                            |          |  |  |
| Hard Disk Size             | 8 TB                           |  |                          |      |                     |            |                         |      |       |         |                       |            |                       |                      |                    |        |                   |                     |                |      |                            |          |  |  |
| Hard Disk Rotational Speed | 7200 RPM                       |  |                          |      |                     |            |                         |      |       |         |                       |            |                       |                      |                    |        |                   |                     |                |      |                            |          |  |  |
| 04                         | PTZ Camera 2 MP                | <ul style="list-style-type: none"><li>• Focuses on human and vehicle targets classification based on deep learning</li><li>• Supports face capture. Up to 5 faces captured at the same time</li><li>• 1/2.8" progressive scan CMOS</li><li>• High quality imaging with 2 MP resolution</li><li>• Excellent low-light performance with powered-by-Dark Fighter technology</li><li>• 25× optical zoom and 16× digital zoom provide close up views over expansive areas</li><li>• Expansive night view with up to 100 m IR distance</li></ul>   |                          |      |                     |            |                         |      |       |         |                       |            |                       |                      |                    |        |                   |                     |                |      |                            |          |  |  |





|    |                               |  |  |  |
|----|-------------------------------|--|--|--|
|    |                               | <ul style="list-style-type: none"> <li>Support H.265+/H.265 video compression</li> </ul>   |  |  |
| 0  | PTZ Camera Stand              | Weight 3.2 kg/7 lbs<br>Capacity 20 kg/44 lbs<br>Minimum Height 89 cm/35"<br>Maximum Height 205 cm/81"<br>Material Aluminum<br>Number of stages 3   |  |  |
| 06 | Junction Box Full Pack        |  |  |  |
| 07 | Pole                          | <ul style="list-style-type: none"> <li>Height of pole must be sufficient to cover its surroundings.</li> </ul>   |  |  |
| 08 | Switch Gigabit 8+1+1 Port PoE | <ul style="list-style-type: none"> <li>8 × Gigabit PoE ports, 1 × Gigabit RJ45 port, 1 × Gigabit SFP fiber optical port</li> <li>IEEE 802.3at/af standard</li> <li>IEEE 802.3, IEEE 802.3u, IEEE 802.3x, IEEE 802.3ab, and IEEE 802.3z standard</li> <li>6 KV surge protection for PoE ports</li> <li>PoE power management</li> <li>Gigabit network access</li> <li>Wire-speed forwarding and non-blocking design</li> <li>Store-and-forward switching</li> <li>Solid high-strength metal shell</li> <li>Reliable fan-free design</li> <li>8 × Gigabit PoE ports, 1 × Gigabit RJ45 port, and 1 × Gigabit fiber optical port</li> <li>Port Type RJ45 port, full duplex, MDI/MDI-X adaptive</li> <li>Standard IEEE 802.3, IEEE 802.3u, IEEE 802.3x, IEEE 802.3ab, IEEE 802.3z</li> <li>Forwarding Mode Store-and-forward switching</li> <li>MAC Address Table 4 K</li> <li>Switching Capacity 20 Gbps</li> <li>Packet Forwarding Rate 14.88 Mpps</li> <li>Internal Cache 1.5 Mbits</li> <li>PoE Power Supply</li> <li>PoE Standard IEEE 802.3af, IEEE 802.3at</li> <li>PoE Power Pin End-span: 1/2(-), 3/6(+)</li> <li>PoE Port Ports 1 to 8</li> <li>Max. Port Power 30 W</li> <li>PoE Power Budget 58 W</li> <li>General</li> <li>Dimensions (W × H × D) 217.6 mm × 27.8 mm × 108.55 mm (8.6" × 1.1" × 4.3")</li> <li>Shell Metal material, fan-free design</li> <li>Gross Weight 1.37 kg (3.01 lb)</li> <li>Net Weight 0.64 kg (1.40 lb)</li> <li>Operating Temperature -10 °C to 55 °C (14 °F to 131 °F)</li> <li>Operating Humidity 5% to 95% (no condensation)</li> <li>Storage Temperature -40 °C to 85 °C (-40 °F to 185 °F)</li> <li>Storage Humidity 5% to 95% (no condensation)</li> <li>Power Supply 48 VDC, 1.35 A</li> <li>Power Consumption In Idle 7 W</li> <li>Max. Power Consumption 65 W</li> <li>Approval</li> </ul> |  |  |






|                   |                   |   |       |                   |                |                  |            |             |                   |            |                 |              |  |  |
|-------------------|-------------------|---|-------|-------------------|----------------|------------------|------------|-------------|-------------------|------------|-----------------|--------------|--|--|
|                   |                   | <ul style="list-style-type: none"><li>• EMC FCC (ANSI C63.4, 47 CFR PART 15B); CE-EMC/RCM (EN 55032: 2015+A11:2020, EN IEC 61000-3-2: 2019, EN 61000-3-3: 2013+A1:2019, EN 50130-4:2011+A1:2014, EN 55035:2017+A11:2020); IC (ICES-003: Issue 9)</li><li>• Safety UL (UL 62368-1); CB(IEC 62368-1:2014); CE-LVD (EN 62368-1:2014+A11:2019)</li><li>• Chemistry CE-RoHS (2011/65/EU); WEEE (2012/19/EU); Reach (Regulation (EC) No 1907/2008)</li></ul>  |       |                   |                |                  |            |             |                   |            |                 |              |  |  |
| 09                | Patch Cord 5 Mtr. | <ul style="list-style-type: none"><li>• Deliver fast and reliable data transfers safely over high end networking equipment</li><li>• 10Gb Fiber Cable / 5 m Fiber Optic Patch Cable / OM3 Fiber Cable / 5 meter Duplex Fiber Cable / LC to LC / Multimode 50/125 Patch Cable / 5m Aqua Fiber Cable</li><li>• OM3 (50/125) 2000MHz</li><li>• Laser-optimized multimode fiber</li><li>• Suitable for installations under restrictive building codes with LSZH rating</li></ul>  |       |                   |                |                  |            |             |                   |            |                 |              |  |  |
| 10                | Patch Cord 1 Mtr. | <div><div>1 Meter (3.28ft)</div><table><tr><td>Brand</td><td>FiberCablesDirect</td></tr><tr><td>Connector Type</td><td>Simplex LC to LC</td></tr><tr><td>Cable Type</td><td>Fibre Optic</td></tr><tr><td>Compatible Device</td><td>Smartphone</td></tr><tr><td>Special Feature</td><td>UV Resistant</td></tr></table></div>   | Brand | FiberCablesDirect | Connector Type | Simplex LC to LC | Cable Type | Fibre Optic | Compatible Device | Smartphone | Special Feature | UV Resistant |  |  |
| Brand             | FiberCablesDirect |   |       |                   |                |                  |            |             |                   |            |                 |              |  |  |
| Connector Type    | Simplex LC to LC  |   |       |                   |                |                  |            |             |                   |            |                 |              |  |  |
| Cable Type        | Fibre Optic       |   |       |                   |                |                  |            |             |                   |            |                 |              |  |  |
| Compatible Device | Smartphone        |   |       |                   |                |                  |            |             |                   |            |                 |              |  |  |
| Special Feature   | UV Resistant      |   |       |                   |                |                  |            |             |                   |            |                 |              |  |  |
| 11                | Fibre Patch       |   |       |                   |                |                  |            |             |                   |            |                 |              |  |  |
| 12                | Rack 6U, Out door | <ul style="list-style-type: none"><li>• (6U Combo) Compare Product Dimensions with Your Need Before Purchase) Made From High Quality Metal &amp; 6 Way Processed Powder Coating for Long Lasting and Corrosion and Rust Proof. Pleasant viewing &amp; Space saving.</li><li>• Comes With 6 Power Socket Cable, 1 Cooling Fan, 1 Tray, Lock &amp; Keys, Fan Mounting provisions &amp; Reversible Brackets.</li><li>• Top and bottom cable entry provides optimal flexibility for cable management. Compatible with 19" International Standards.</li><li>• Suitable for all type of DVR Box &amp; Double DVR / Network Switch / Server Rack with Lock &amp; Key. Useful at Home, Office, Bank, ATM, Shops &amp; Hotel Room etc. Prompt &amp; Easy Installation.</li></ul> |       |                   |                |                  |            |             |                   |            |                 |              |  |  |
| 13                | PDU 6 Way         | <ul style="list-style-type: none"><li>• Product Name: Designated Power Distribution Unit for Cabinet</li><li>• Specification Model: IBPDU2220B1-06AHBNMB-2M</li><li>• Rating voltage: 250VAC 50/60Hz</li><li>• Rating Current: 13A</li><li>• Max. Current</li><li>• Max. Power: 3250W</li></ul>   |       |                   |                |                  |            |             |                   |            |                 |              |  |  |






|                          |   |   |        |           |       |   |                         |                           |       |       |       |          |                          |   |       |          |              |                         |                     |  |                         |                             |                  |        |  |  |
|--------------------------|---|---|--------|-----------|-------|---|-------------------------|---------------------------|-------|-------|-------|----------|--------------------------|---|-------|----------|--------------|-------------------------|---------------------|--|-------------------------|-----------------------------|------------------|--------|--|--|
|                          |   | <ul style="list-style-type: none"><li>• Safety Authentication: CE</li><li>• Logo</li><li>• Producer</li></ul>   |        |           |       |   |                         |                           |       |       |       |          |                          |   |       |          |              |                         |                     |  |                         |                             |                  |        |  |  |
| 14                       | Media Converter 10/100/1000 MBPS  | <div>General</div> <table><tr><td>Type</td><td>Unmanaged</td></tr><tr><td>Model</td><td>S-SMSF-FE Fiber Media Converter to Single Port Ethernet 10/100 Mbps in Pair (Transmitter and Receiver) Network Switch</td></tr><tr><td>In The Box</td><td>1 Transmitter, 1 Receiver</td></tr><tr><td>Color</td><td>Black</td></tr><tr><td>Brand</td><td>SECUREYE</td></tr></table> <div>Network Ports</div> <table><tr><td>Number of Ethernet ports</td><td>5</td></tr><tr><td>Speed</td><td>100 Mbps</td></tr></table> <div>Warranty</div> <table><tr><td>Service Type</td><td>Company Service Station</td></tr><tr><td>Covered in Warranty</td><td>EXCEPT BURNING AND PHYSICAL DAMAGE REST EVERYTHING</td></tr><tr><td>Not Covered in Warranty</td><td>BURNING AND PHYSICAL DAMAGE</td></tr><tr><td>Warranty Summary</td><td>1 Year</td></tr></table> | Type   | Unmanaged | Model | S-SMSF-FE Fiber Media Converter to Single Port Ethernet 10/100 Mbps in Pair (Transmitter and Receiver) Network Switch | In The Box              | 1 Transmitter, 1 Receiver | Color | Black | Brand | SECUREYE | Number of Ethernet ports | 5 | Speed | 100 Mbps | Service Type | Company Service Station | Covered in Warranty | EXCEPT BURNING AND PHYSICAL DAMAGE REST EVERYTHING | Not Covered in Warranty | BURNING AND PHYSICAL DAMAGE | Warranty Summary | 1 Year |  |  |
| Type                     | Unmanaged   |   |        |           |       |   |                         |                           |       |       |       |          |                          |   |       |          |              |                         |                     |  |                         |                             |                  |        |  |  |
| Model                    | S-SMSF-FE Fiber Media Converter to Single Port Ethernet 10/100 Mbps in Pair (Transmitter and Receiver) Network Switch |   |        |           |       |   |                         |                           |       |       |       |          |                          |   |       |          |              |                         |                     |  |                         |                             |                  |        |  |  |
| In The Box               | 1 Transmitter, 1 Receiver   |   |        |           |       |   |                         |                           |       |       |       |          |                          |   |       |          |              |                         |                     |  |                         |                             |                  |        |  |  |
| Color                    | Black   |   |        |           |       |   |                         |                           |       |       |       |          |                          |   |       |          |              |                         |                     |  |                         |                             |                  |        |  |  |
| Brand                    | SECUREYE  |   |        |           |       |   |                         |                           |       |       |       |          |                          |   |       |          |              |                         |                     |  |                         |                             |                  |        |  |  |
| Number of Ethernet ports | 5   |   |        |           |       |   |                         |                           |       |       |       |          |                          |   |       |          |              |                         |                     |  |                         |                             |                  |        |  |  |
| Speed                    | 100 Mbps  |   |        |           |       |   |                         |                           |       |       |       |          |                          |   |       |          |              |                         |                     |  |                         |                             |                  |        |  |  |
| Service Type             | Company Service Station   |   |        |           |       |   |                         |                           |       |       |       |          |                          |   |       |          |              |                         |                     |  |                         |                             |                  |        |  |  |
| Covered in Warranty      | EXCEPT BURNING AND PHYSICAL DAMAGE REST EVERYTHING  |   |        |           |       |   |                         |                           |       |       |       |          |                          |   |       |          |              |                         |                     |  |                         |                             |                  |        |  |  |
| Not Covered in Warranty  | BURNING AND PHYSICAL DAMAGE   |   |        |           |       |   |                         |                           |       |       |       |          |                          |   |       |          |              |                         |                     |  |                         |                             |                  |        |  |  |
| Warranty Summary         | 1 Year  |   |        |           |       |   |                         |                           |       |       |       |          |                          |   |       |          |              |                         |                     |  |                         |                             |                  |        |  |  |
| 15                       | 3 Core Wire 1.5 mm in Mtr.  | <table><tr><td>Colour</td><td>Black</td></tr><tr><td>Brand</td><td>Finolex</td></tr><tr><td>Number of Cable Strands</td><td>Multi Strand</td></tr></table> <div>Brand: Finolex<br/>1.5Mm 3 Core<br/>100M Flexible Wire</div>  | Colour | Black     | Brand | Finolex   | Number of Cable Strands | Multi Strand              |       |       |       |          |                          |   |       |          |              |                         |                     |  |                         |                             |                  |        |  |  |
| Colour                   | Black   |   |        |           |       |   |                         |                           |       |       |       |          |                          |   |       |          |              |                         |                     |  |                         |                             |                  |        |  |  |
| Brand                    | Finolex   |   |        |           |       |   |                         |                           |       |       |       |          |                          |   |       |          |              |                         |                     |  |                         |                             |                  |        |  |  |
| Number of Cable Strands  | Multi Strand  |   |        |           |       |   |                         |                           |       |       |       |          |                          |   |       |          |              |                         |                     |  |                         |                             |                  |        |  |  |
| 16                       | UPS 650 VA  | <ul style="list-style-type: none"><li>• Brand: Luminous. Recharge Time: 8h</li><li>• Type: UPS.Net Weight: not exceeding 7kg</li><li>• Voltage Consumption in Inverter Mode: 220V AC.LED indication for Inverter on, mains on, low battery and on mains normal</li><li>• Battery: 12V, 7Ah.Dimensions: 95 x 146 x 313 mm</li></ul>  |        |           |       |   |                         |                           |       |       |       |          |                          |   |       |          |              |                         |                     |  |                         |                             |                  |        |  |  |
| 17                       | Cable Laying in MTR   |   |        |           |       |   |                         |                           |       |       |       |          |                          |   |       |          |              |                         |                     |  |                         |                             |                  |        |  |  |

Signature with Seal





**Financial Bid as per technical specification along with 2 year warranty**

| Sr. No. | Item Name   | Qty      | Rate per Unit | Tax Percentage (%) | Total Cost (inclusive of taxes) |
|---------|---|----------|---------------|--------------------|---------------------------------|
| 01      | Optical Fiber Cable 4 Core MTR                      | 1500 mtr |               |                    |                                 |
| 02      | 16-ch 1U 4K NVR HikVision                           | 1 nos    |               |                    |                                 |
| 03      | HDD 8TB,  | 2 nos    |               |                    |                                 |
| 04      | PTZ Camera 2MP HikVision                            | 5 nos    |               |                    |                                 |
| 05      | PTZ Camera Stand                                    | 5 nos    |               |                    |                                 |
| 06      | Junction Box Full Pack                              | 5 nos    |               |                    |                                 |
| 07      | Pole  | 5 nos    |               |                    |                                 |
| 08      | Switch Gigabit 8+1+1 Port PoE HikVision             | 5 nos    |               |                    |                                 |
| 09      | Patch Cord 5 Mtr.                                   | 5 nos    |               |                    |                                 |
| 10      | Patch Cord 1Mtr.                                    | 6 nos    |               |                    |                                 |
| 11      | Fibre Patch   | 5 nos    |               |                    |                                 |
| 12      | Rack 6U, Outdoor                                    | 5 nos    |               |                    |                                 |
| 13      | PDU 6 Way   | 5 nos    |               |                    |                                 |
| 14      | Media Converter 10/100/1000 MBPS Make Secure IN SET | 5 nos    |               |                    |                                 |
| 15      | 3 Core Wire 1.5 mm in Mtr.                          | 1500 mtr |               |                    |                                 |
| 16      | UPS 650 VA  | 6 nos    |               |                    |                                 |
| 17      | Cable Laying in MTR                                 | 1500 mtr |               |                    |                                 |

Signature with Seal



## UNIVERSITY OF ALLAHABAD

(A Central University)

## Supplier Profile Form

1. Firm's Name : \_\_\_\_\_
2. GST No. : \_\_\_\_\_
3. Owner's Name : \_\_\_\_\_
4. Aadhar No. of Owner : \_\_\_\_\_
5. Full Postal Address : 1. (Head Office) \_\_\_\_\_  
 \_\_\_\_\_ PIN \_\_\_\_\_  
 2. (Local Office) \_\_\_\_\_  
 \_\_\_\_\_ PIN \_\_\_\_\_
6. E-mail address : \_\_\_\_\_
7. Website address : \_\_\_\_\_
7. Contact Person's Name: \_\_\_\_\_
8. Contact No. : Phone No. \_\_\_\_\_ Mobile No \_\_\_\_\_  
 : E-mail: \_\_\_\_\_  
 : City: \_\_\_\_\_ State: \_\_\_\_\_
9. PAN NO. : \_\_\_\_\_
10. Shop and Establishment Act Registration No : \_\_\_\_\_
11. Manufacturer or Supplier : \_\_\_\_\_  
 (In case of supplier please enclose authorization of your Principal)
12. EMD Details:  
 a. Amount (in Rs.) -: \_\_\_\_\_  
 b. DD/BG no. and Date -: \_\_\_\_\_  
 c. Drawn on Bank -: \_\_\_\_\_  
 d. Valid up to (date)-: \_\_\_\_\_
13. Work Experience of past 3 years in PSU/Central/State/ Central or State Funded organization

| S.N. | Year of work | Name of the organization | Tender Amount (in Rs.) | Experience Certificate Attached (document no.) |
|------|--------------|--------------------------|------------------------|--|
|      | 2022         |                          |                        |  |
|      | 2021         |                          |                        |  |
|      | 2020         |                          |                        |  |

Note: (i) Supplier must print GST No. on their Letter Head / Bill / Quotations

(ii) Enclose Xerox copy of the required documents (GST, PAN, work experience, etc)

Signature with Seal





**Annexure “B”**

**Mandate Form for Payment-2019**

**Public Fund Management System(PFMS) Facility for receiving Payments**

**Details of Account Holder/Firm:**

|    |                          |  |
|----|--------------------------|--|
| 1. | Firm/Contractor/Agency   |  |
| 2. | Name of Account Holder   |  |
| 3. | Complete Contact Address |  |
| 4. | Telephone Number         |  |
| 5. | E-mail                   |  |

**Bank Accounts Details:**

|     |  |  |
|-----|--|--|
| 1.  | Name of the Bank viz. SBI/PNB  |  |
| 2.  | Branch Name with Complete Address  |  |
| 3.  | Telephone Number and E-mail of Bank Branch                                       |  |
| 4.  | Whether the Branch is computerized?  |  |
| 5.  | Whether the Branch is RTGS enabled? If yes, then what is the Branch's IFSC Code? |  |
| 6.  | Is the Branch also NEFT enabled  |  |
| 7.  | Type of Bank Account (SB/Current/Cash Credit)                                    |  |
| 8.  | MICR Code of Bank  |  |
| 9.  | Complete Bank Account Number   |  |
| 10. | Repeat Bank Account Number   |  |

Date:

Signature of Customer

I hereby certify that all the details mentioned above are true to my knowledge and belief.

Bank Stamp

Signature of Branch Manager

Name .....

Mobile No .....

E-mail .....